



Request for Quote

125 Ricefield lane Hauppauge NY, 11788

Phone: 631-543-4334 / Fax: 631-543-4372 / Visit us at www.Mcontrols.com

Today's Date:

Date Quote Required:

Submitted By:

Company:

E-mail:

Project Name:

Project Location:

Car Station Type - Car(s):

Main QTY: _____ Auxiliary QTY: _____

Car Station Design

Applied (cover plate w/ beveled edge + box)

Applied Planned Edge (cover plate w/ planned edge + box)

Swing Return

Sub-Plate (to be mounted behind new swing return)

Other: _____

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #8 Mirror
<input type="checkbox"/> Bronze (50/10)	<input type="checkbox"/> Non Directional
<input type="checkbox"/> 316L	<input type="checkbox"/> Oxidized / Blackened
<input type="checkbox"/> Other: _____	<input type="checkbox"/> Powder Coated
	<input type="checkbox"/> Baked Enamel
	<input type="checkbox"/> Other: _____

Hinging

Standing inside car looking out door, car station is located on....

Left Side Right Side

Hands Free Phone

G3 [Janus] Wurleo K-Tech Rath

G3/LMA Other: _____

Mounted Integral with faceplate

Phone provided by: Monitor Customer

Fire Service	Run - Stop	Braille
<input type="checkbox"/> National Code	<input type="checkbox"/> Push - Pull	<input type="checkbox"/> Square
<input type="checkbox"/> New York City Code	<input type="checkbox"/> Keyswitch	<input type="checkbox"/> Round
<input type="checkbox"/> Other _____	<input type="checkbox"/> Toggle	<input type="checkbox"/> Oval
Code Year: _____	<input type="checkbox"/> In Svc Cab	<input type="checkbox"/> Elongated
		<input type="checkbox"/> Slimline
		<input type="checkbox"/> None
		<input type="checkbox"/> Other: _____
		Character Color: _____
		Background Color: _____

Digital Position Indicator (with floor passing signal)

Dot Matrix 1" Characters Provisions For Customer Supplied

Screen 2" Characters

Color: _____

Pushbuttons

Alarm Press To Call 'S' (Audible Signal)

Door Open / Close Up / Down (in Svc. Cab) Door Hold

Door Open / Close Rear Pass (in Svc. Cab)

Door Open / Close Side Taxi Other: _____

Pushbuttons- Type/Color LED

HPS1300 TR Series Vandal Resistant [Positive Stop]

PC Series Color: _____ Other: _____

Keyswitches & Toggles

Keyswitches Toggles

Light Independent Service Emerg. Light Test Code Blue

Fan _____ Speed Inspection Emergency Service MA EMT

Light / Fan _____ Speed Access Enable Hospital Service

Inspection/Access Attendant Other: _____

Floor Lockouts at level(s): _____

Indicators

Code Blue Emergency Service Up / Down (in Svc. Cab) Up / Down

Overload Hospital Service Other: _____

Engraving or Inlaid Plates

Engraving Plates

Capacity _____ LBS

Elevator No. _____

State ID No. _____

Company Name or Logo

No Smoking Wording

No Smoking Symbol

No. of Passengers _____

Certificate of Inspection on File in Building Office

Phase II Fire Service Instructions on panel

Phase II Fire Service Instructions engraved on back of Fireman's Service Cabinet

Overload

Options

Service Cabinet Multi-Light PI

Emergency Light Voice Annunciator

Phone Jack Seismic Buzzer

Nudging Buzzer

Cover Locks

Provisions for Customer Supplied Card Reader

Disappearing Sign Type: _____

110 VAC GFI Outlet in Service Cabinet

Dimmer Switch in Service Cabinet

Certificate Window 1/2 Window Full Window

Other: _____

Existing Conditions

Panel Width: _____ Return Width: _____

Panel Height: _____ Return Height: _____

Top of Panel: _____ AFF Return Depth: _____

Bottom of Panel: _____ AFF Size Constraints: _____

AFF = Above Finished Floor

2- Way Visual Communication

ASME 2019 Enhanced Elevator Communication

Rath Smartview

K-Tech Connect

Wurleo Wurcom

Wurleo Wurcom Plus

Other: _____

provided by: Monitor Customer

Button Style:

Yes/No

Door Open/Door Close

Additional information concerning this car station is shown on the NOTES page.

Hall Station Design	
<input type="checkbox"/> Standard Size Flush Mount	
<input type="checkbox"/> Coverless	
<input type="checkbox"/> ADA	<input type="checkbox"/> Degree: <input type="checkbox"/> 45 <input type="checkbox"/> 60 <input type="checkbox"/> 90

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #8 Mirror
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> Non Directional
<input type="checkbox"/> 316L	<input type="checkbox"/> Oxidized / Blackened
<input type="checkbox"/> Other: _____	<input type="checkbox"/> Powder Coated
	<input type="checkbox"/> Baked Enamel
	<input type="checkbox"/> Other: _____

Digital Position Indicator in Hall Stations	
<input type="checkbox"/> Dot Matrix	<input type="checkbox"/> 1" Characters
<input type="checkbox"/> Provisions Only	<input type="checkbox"/> 2" Characters
<input type="checkbox"/> Digital PI's required in ALL hall stations	<input type="checkbox"/> .50" Characters <small>(.50" Available in Segmented only)</small>
<input type="checkbox"/> Digital PI's required at SPECIFIC LEVELS ONLY	
Color: _____	
<small>(List Specific Levels Here)</small>	

Braille	
<input type="checkbox"/> None	<input type="checkbox"/> Square
<input type="checkbox"/> Round	<input type="checkbox"/> Oval
<input type="checkbox"/> Elongated	<input type="checkbox"/> Slimline
<input type="checkbox"/> Other	
Character Color: _____	Background Color: _____

Options	
<input type="checkbox"/> Need SEPARATE hoistway access stations - with faceplates	
<input type="checkbox"/> Need SEPARATE hoistway access stations - coverless	

Wired	
<input type="checkbox"/> No	<input type="checkbox"/> Yes

Serving Cars	Terminal or Intermediate	Terminal	Terminal	Intermediate	Intermediate
Quantity Each					
At Level(s)					
"UP" Pushbutton					
"DOWN" Pushbutton					
"CALL" Pushbutton					
"IN USE" Indicator					
Access Keyswitch (Advise Qty)					
Fire Service Keyswitch					
Fire Service Indicator					
Emergency Power Keyswitch					
Emergency Power Indicator (Advise Qty)					
Door Open Pushbutton					
Door Close Pushbutton					
Door Hold Pushbutton					
Appendix O Pictograph per local code					
Phase I Fire Service Instructions (engraved)					
Man & Stairs Pictograph					
Medical Emergency Service					
No Back Box					
Consealed Fasteners					
LMA					
Other:					

Existing Conditions					
Panel Width					
Panel Height					
Box Width					
Box Height					
Box Depth					
Mounting Hole Centers					
Top of Panel					
Bottom of Panel					

Pushbuttons- Type/Color LED		
<input type="checkbox"/> HPS1300	<input type="checkbox"/> TR Series	<input type="checkbox"/> Vandal Resistant [Positive Stop]
<input type="checkbox"/> PC Series	Color: _____	<input type="checkbox"/> Other: _____

Additional information concerning these hall stations is shown on the NOTES page.

Lanterns

Lantern Type - Car(s):

Car Lanterns Hall Lanterns

 _____ Per Car _____ Terminal

 _____ Intermediate

Lantern Design

Standard Size Flush Mount

Coverless

Front Servicable

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #8 Mirror
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> Non Directional
<input type="checkbox"/> 316L	<input type="checkbox"/> Oxidized / Blackened
<input type="checkbox"/> Other: _____	<input type="checkbox"/> Powder Coated
	<input type="checkbox"/> Baked Enamel
	<input type="checkbox"/> Other: _____

Handicap Chime

Yes Type: Murcar Serial No

Mounting

Horizontal Mount Vertical Mount

Lens Illumination (LED)

White (up) & White (down) Blue (up) & Blue (down)

White (up) & Red (down) Green (up) & Red (down)

Customer to Reuse Existing Items

Box (Advise existing size) Lamps and Sockets

Light Baffle (Advise existing size) Handicap Chime

Lens Style

<input type="checkbox"/> 2-9/16" Arrow <input type="checkbox"/> Projecting <input type="checkbox"/> Flush	<input type="checkbox"/> 2 9/16" Round <input type="checkbox"/> Projecting <input type="checkbox"/> Flush	<input type="checkbox"/> Diamond Series <input type="checkbox"/> Projecting <input type="checkbox"/> Flush	<input type="checkbox"/> SlimLine <input type="checkbox"/> Flush
<input type="checkbox"/> Tamper Resist. Dots 	<input type="checkbox"/> Imperial Series 	<input type="checkbox"/> Tamper Resist. Slots 	<input type="checkbox"/> Landmark Series
<input type="checkbox"/> Digital 	<input type="checkbox"/> 4" Front Servicable Projecting Size: _____		

Existing Conditions

Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	

Additional information concerning these lanterns is shown on the NOTES page.

Position Indicator Type - Car(s):

Car Position Indicator Hall Position Indicator

_____ Req'd at Main Level Only
 _____ Req'd at all levels

Lantern Design

Standard Size Flush Mount
 Oversized Flush Mount
 Front Servicable

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #8 Mirror
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> Non Directional
<input type="checkbox"/> 316L	<input type="checkbox"/> Oxidized / Blackened
<input type="checkbox"/> Other: _____	<input type="checkbox"/> Powder Coated
	<input type="checkbox"/> Baked Enamel
	<input type="checkbox"/> Other: _____

Digital Position Indicator

Dot Matrix 1" Characters
 16 Segment 2" Characters

Multi-Light Position Indicator

Include UP & Down Arrows
 Round Indicators
 Square Indicators
 1" Cut-Thru & Filled
 2" Cut-Thru & Filled

Mounting

Horizontal Mount Vertical Mount

Customer to Reuse Existing Items

Box (Advise existing size) Lamps and Sockets
 Light Baffle (Advise existing size) Handicap Chime




Include Hall Lantern with Position Indicator ?

Yes No

If "yes" please complete lantern options on right side of this page.





Lens Style

2 9/16" Arrow 2 9/16" Round Diamond Series







Projecting Projecting Projecting
 Flush Flush Flush

Tamper Resist. Dots Imperial Series Tamper Resist. Slots Landmark Series

Digital 4" Front Servicable

Digital - 2.500"
 Digital - 3.000" Projecting Size _____

Lens Illumination (LED)

White (up) & White (down) Green (up) & Red (down)
 White (up) & Red (down) Blue (up) & Blue (down)

Handicap Chime

Unless specified otherwise, Innovation will provide a handicap chime as part of the lantern / PI combo.

Existing Conditions

Panel Width		Box Width	
Panel Height		Box Height	
Mounting Hole Centers		Box Depth	

Additional information concerning these position indicators is shown on the NOTES page.




Destination Dispatch

Material	Finish
<input type="checkbox"/> Stainless Steel (302/304)	<input type="checkbox"/> #4 Brush (150 Grit)
<input type="checkbox"/> Muntz (60/40)	<input type="checkbox"/> #8 Mirror
<input type="checkbox"/> Bronze (90/10)	<input type="checkbox"/> Non Directional
<input type="checkbox"/> 316L	<input type="checkbox"/> Oxidized / Blackened
<input type="checkbox"/> Other: _____	<input type="checkbox"/> Powder Coated
	<input type="checkbox"/> Baked Enamel
	<input type="checkbox"/> Other: _____


Kiosk Options	
<input type="checkbox"/> 10" Display Provided	<input type="checkbox"/> 10" Display Provisions
<input type="checkbox"/> UP & Down Buttons	<input type="checkbox"/> Card Reader
<input type="checkbox"/> Fire Service	<input type="checkbox"/> Pin Braille

Hall Destination Options	
<input type="checkbox"/> Chime	<input type="checkbox"/> Other _____
<input type="checkbox"/> Light Up	
<input type="checkbox"/> Non-Light Up	

Jamb Indicator Options	
<input type="checkbox"/> Display Included	
<input type="checkbox"/> Provisions for Display	
<input type="checkbox"/> Other _____	




Car Top Inspection Station




Qty: _____

Pit Switch



Qty: _____

6 VDC Alarm Bell



Qty: _____

4 x 4 Jamb Tags (Adhesive Backed)




- #4 Stainless on black
- #8 Stainless on black
- #4 Muntz on black
- #8 Muntz on black
- White characters on black

Two (2) required per car per landing

Qty: _____

MCCA Digital PI Controller



Qty: _____

